

SAFETY DATA SHEET

OZGYPZINC

Infosafe No.: LQC27
ISSUED Date : 01/03/2024
ISSUED by: ADVANTAGE AGRICULTURE PTY
LTD

Section 1 - Identification

Product Identifier

OZGYPZINC

Company Name

ADVANTAGE AGRICULTURE PTY LTD (ABN 30 168 079 409)

Address

Suite 6, 7-9 Plaza Parade Maroochydore
QLD 4558 Australia

Telephone/Fax Number

Tel: 1300 562 182

Emergency Phone Number

1300 562 182 or 0413 239 630 (8 am - 5 pm Mon-Thurs and 8 am – 2.30 pm Fri)

For Ambulance, Police or Fire Services: Call Triple Zero (000)

E-mail Address

admin@advantageagri.com.au

Recommended use of the chemical and restrictions on use

Used as a soil amendment, for agricultural purposes, and as source of Calcium, Sulphur and Zinc.

Other Information

This product should only be used by qualified personnel. While the information provided in this material safety data sheet is believed to provide a useful summary of the hazards of this product as it is commonly used, the sheet cannot anticipate and provide all of the information that may be needed in every situation. Inexperienced personnel should obtain proper training before using this product.

Advantage Agriculture Pty Ltd makes no warranty, expressed or implied, concerning the product or the accuracy of the information provided. The information provided herein was prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information to comply with all the laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use.

Section 2 - Hazard(s) Identification

GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Eye damage/irritation: Category 2

Hazardous to the Aquatic Environment - Acute Hazard: Category 3

Hazardous to the Aquatic Environment - Long-Term Hazard: Category 3

Signal Word (s)

WARNING

Hazard Statement (s)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Pictogram (s)

Exclamation mark

**Precautionary Statement – Prevention**

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear eye protection/face protection.

Precautionary Statement – Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Precautionary Statement – Disposal

P501 Dispose of contents/container to an approved waste disposal plant.

Section 3 - Composition and Information on Ingredients**Ingredients**

Name	CAS	Proportion
Calcium sulphate dihydrate	10101-41-4	90-100 %
Calcium carbonate / Limestone	471-34-1 / 1317-65-3	<3 %
Calcium Sulphate	7778-18-9	<3 %
zinc sulphate monohydrate	7446-19-7	1 %
Crystalline Silica (Quartz)	14808-60-7	<1 %
Ingredients determined not to be hazardous		Balance

Section 4 - First Aid Measures**Inhalation**

If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion

Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

Skin

Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

First Aid Facilities

Eye wash, safety shower and normal washroom facilities.

Advice to Doctor

Treat symptomatically.

Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Section 5 - Firefighting Measures

Suitable Extinguishing Media

Water.

Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including oxides of carbon, calcium, zinc, sulphur and silica.

Specific hazards arising from the chemical

Not available

Decomposition Temperature

Not available

Precautions in connection with Fire

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

Section 6 - Accidental Release Measures

Emergency Procedures

Increase ventilation. Evacuate all unprotected personnel. Wear sufficient respiratory protection and full protective clothing to prevent exposure. Sweep up material avoiding dust generation or dampen spilled material with water to avoid airborne dust, then transfer material to a suitable container. Wash surfaces well with soap and water. Seal all wastes in labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

Section 7 - Handling and Storage

Precautions for Safe Handling

Avoid exposure. Use only in a well ventilated area. Keep containers tightly closed. Prevent the build up of dusts, mists or vapours in the work atmosphere. Do not use near ignition sources. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area, out of direct sunlight and moisture. Store in suitable, labelled containers. Keep containers tightly closed. Store away from incompatible materials. Ensure that storage conditions comply with applicable local and national regulations.

Storage Temperatures

Room temperature

Section 8 - Exposure Controls and Personal Protection

Occupational exposure limit values

No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Calcium sulphate (inspirable dust)

TWA: 10 mg/m³

Calcium carbonate (inspirable dust)

TWA: 10 mg/m³

Crystalline silica (respirable dust)

TWA: 0.05 mg/m³

Note: Carc.1A

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal

eight-hour working day, for a five-day week.

Source: Safe Work Australia

Biological Monitoring

No biological limits allocated.

Control Banding

Not available

Engineering Controls

Use with good general ventilation. If dusts are produced, local exhaust ventilation should be used.

If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye and Face Protection

Safety glasses with side shields, full face shield or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Thermal Hazards

No further relevant information available.

Body Protection

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Solid - Granules	Appearance	Off-White to grey granule
Colour	Off-White to grey	Odour	No distinct odour.
Melting Point	238°C	Boiling Point	Not available
Decomposition Temperature	Not available	Solubility in Water	1.15%
Specific Gravity	2.32 kg/L	pH	7-8
Vapour Pressure	Not applicable	Relative Vapour Density (Air=1)	Not applicable
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not applicable	Partition Coefficient: n-octanol/water (log value)	Not available
Density	Bulk density: 1060 kg/m ³ (packed), 1030 kg/m ³ (loose)	Flash Point	Not applicable
Flammability	Non-combustible (does not burn).	Auto-Ignition Temperature	Not available
Explosion Limit - Upper	Not applicable	Explosion Limit - Lower	Not applicable

Section 10 - Stability and Reactivity

Reactivity

Reacts with incompatible materials.

Chemical Stability

Stable under normal conditions of storage and handling.

Possibility of hazardous reactions

May react vigorously with acids resulting in generation of carbon dioxide, a simple asphyxiant and sulphur dioxide.

Conditions to Avoid

Dust accumulation, direct sunlight, extremes of temperature.

Incompatible Materials

Acids. Alum and ammonium salts. Zinc sulphate incompatible with strong bases.

Hazardous Decomposition Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including oxides of carbon, calcium, sulphur, zinc and silica.

Hazardous Polymerization

Not available

Section 11 - Toxicological Information

Toxicology Information

Toxicology data available for this product is given below.

Acute Toxicity - Oral

LD50 (estimated): >5000 mg/kg

Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting. Ingestion of large quantities can cause irritability, nausea, dehydration and constipation. Lethal dose for an adult is estimated at over 1kg. Regular ingestion of more than 8g per day (Calcium sulphate dihydrate) reported to cause blood and kidney disorders.

Inhalation

Inhalation of dusts may irritate the respiratory system.

Skin

May be irritating to skin. The symptoms may include redness, itching and swelling. Direct, prolonged or repeated contact with skin may cause irritation. Rubbing of product against skin may cause abrasions.

Eye

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

Respiratory Sensitisation

Not expected to be a respiratory sensitiser.

Skin Sensitisation

Not expected to be a skin sensitiser.

Germ Cell Mutagenicity

Not considered to be a mutagenic hazard.

Carcinogenicity

Not considered to be a carcinogenic hazard.

This product contains crystalline silica. Crystalline Silica (respirable size $\leq 18 \mu\text{m}$) has been classified by the International Agency for Research on Cancer (IARC) as Carcinogenic to Humans (Group 1). This product is granular and so no exposure to free respirable crystalline silica is anticipated during normal use of this product. Inhalation of respirable silica may cause cancer, silicosis or other serious delayed lung injury. Grinding or machining may release silica. Use approved dust respirator when grinding, sanding or machining the product.

Reproductive Toxicity

Not considered to be toxic to reproduction.

STOT - Single Exposure

Not expected to cause toxicity to a specific target organ.

STOT - Repeated Exposure

Not expected to cause toxicity to a specific target organ.

Aspiration Hazard

Not considered to be an aspiration hazard.

Section 12 - Ecological Information

Ecotoxicity

No ecological data are available for this material. Harmful to aquatic life with long lasting effects.

Persistence and degradability

Product is persistent and would have a low degradability.

Mobility

Not available

Bioaccumulative Potential

Not available

Other Adverse Effects

Not available

Environmental Protection

Prevent this material entering waterways, drains and sewers.

Hazardous to the Ozone Layer

This product is not expected to deplete the ozone layer.

Section 13 - Disposal Considerations

Disposal Considerations

Dispose of waste according to applicable local and national regulations. Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes including emptied containers are controlled wastes and should be disposed of in accordance with all applicable local and national regulations.

To minimise personal exposure to the chemical, refer to Section 8 — Exposure controls and personal protection.

Section 14 - Transport Information

Transport Information

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

UN Number

None Allocated

Proper Shipping Name

None Allocated

Transport Hazard Class

None Allocated

Special Precautions for User

Not available

IMDG Marine pollutant

No

Transport in Bulk

Not available

Section 15 - Regulatory Information

Regulatory Information

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule

Not Scheduled

Montreal Protocol

Not listed

Stockholm Convention

Not listed

Rotterdam Convention

Not listed

International Convention for the Prevention of Pollution from Ships (MARPOL)

Not available

Agricultural and Veterinary Chemicals Act 1994

Not available

Basel Convention

Not available

Section 16 - Any Other Relevant Information

Date of Preparation

SDS Amendment: June 2024

Section 9 - Physical and Chemical Properties

SDS created: March 2024

Version Number

1.1

Literature References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Code of Practice for Supply Diversion into Illicit Drug Manufacture.

National Code of Practice for Chemicals of Security Concern.

Agricultural Compounds and Veterinary Chemicals Act.

International Agency for Research on Cancer (IARC) Monographs.

Montreal Protocol on Substances that Deplete the Ozone Layer.

Stockholm Convention on Persistent Organic Pollutants (POPs).

Rotterdam Convention on the Prior Informed Consent Procedure for Certain Hazardous Chemicals and Pesticides in International Trade.

Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and Their Disposal.

International Air Transport Association (IATA) Dangerous Goods Regulations.

International Maritime Dangerous Goods (IMDG) Code.

Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).

Globally Harmonised System of Classification and Labelling of Chemicals (7th revised edition).

Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.